



Republic of the Philippines
DEPARTMENT OF AGRICULTURE WESTERN VISAYAS
Hamungaya, Brgy. Buntatala, Jaro, Iloilo City
westernvisayas@mail.da.gov.ph | (033) 336-4221

HVCDP

COFFEE PULPER

TECHNICAL SPECIFICATIONS

1. Brand new
2. Prime Mover:
Electric Motor: minimum of 0.56 kW (0.75 hp)
3. Design and Performance:
Input Capacity: 200 kg/h, minimum
Pulping Recovery: 93.5%, minimum
Pulping Efficiency: 95.0%, minimum
Separation Loss: 1.0%, maximum
Unpulpd Loss: 5.0%, maximum
Scattering Loss: 0.5%, maximum
Mechanically Damaged Parchment Coffee: 3.5%, maximum
With adjustable breast plate
Pulping mechanisms/pulping chamber shall be made of food grade and non-corrosive materials
4. Noise Level: 92 dB(A), maximum
5. With set of manufacturer's standard tools required for maintenance
6. Shall conform to PAES 252:2011, Coffee Pulper
Additional Requirements:
 1. With AMTEC Test results of Coffee Pulper
 2. Warranty period: 1 year from the date of acceptance of the recipient/beneficiary
 3. With reflectorized DA Western Visayas logo (minimum of 6" diameter)

Cost per unit: Php120,000.00

Prepared by:


ENGR. CLARK IAN G. SANSOLIS
Engineer II

Reviewed/Submitted by:


ENGR. MOISES D. MANA-AY, MEE
Chief RAED

Recommending Approval:


ENGR. JOSE ALBERT A. BARROGO
RTD for Operations and Extensions

Approved by:


DENNIS R. ARPJA
Regional Executive Director